

**SAFETY DATA SHEET**  
**106012 : FRAGRANCED MULTIPURPOSE CLEANER**

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING**

PRODUCT NAME 106012 : FRAGRANCED MULTIPURPOSE CLEANER  
 SUPPLIER Cannon Hygiene Limited  
 Northgate, White Lund  
 Morecambe,  
 Lancashire.  
 LA3 3BJ  
 United Kingdom  
 0870 444 1988  
 0870 444 3938  
 consumableorders@cannonhygiene.com

**2 COMPOSITION/INFORMATION ON INGREDIENTS**

Name	EC No.	CAS-No.	Content	Classification
ALCOHOL ETHOXYLATE			1-5%	Xi;R41.
ANIONIC SURFACTANT			1-5%	Xi;R36/37/38.
SULPHATED CASTOR OIL		8002-33-3	1-5%	Xi;R36/38.
TURPENTINE, OIL	232-350-7	8006-64-2	< 0.5%	R10 Xn;R20/21/22,R65 R43 Xi;R36/38 N;R51/53

The Full Text for all R-Phrases are Displayed in Section 16

**3 HAZARDS IDENTIFICATION**

Not regarded as a health or environmental hazard under current legislation.

**4 FIRST-AID MEASURES**

**INGESTION**

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink plenty of water. Get medical attention.

**SKIN CONTACT**

Rinse with water. Get medical attention if any discomfort continues.

**EYE CONTACT**

Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention if any discomfort continues.

**5 FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA**

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

**6 ACCIDENTAL RELEASE MEASURES**

**ENVIRONMENTAL PRECAUTIONS**

Any spillage needs to be contained and not allowed to enter water courses

**SPILL CLEAN UP METHODS**

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

**7 HANDLING AND STORAGE**

**USAGE PRECAUTIONS**

Eye protection should be considered where there is a risk of splashing. Rubber gloves and barrier cream are recommended when using any chemical.

REVISION DATE: January 2003

## 106012 : FRAGRANCED MULTIPURPOSE CLEANER

### STORAGE PRECAUTIONS

Store in tightly closed original container in a cool, dry well-ventilated place. Keep in original container.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
TURPENTINE, OIL	OES	100 ppm	566 mg/m3	150 ppm	850 mg/m3

### PROTECTIVE EQUIPMENT



### HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves.

### EYE PROTECTION

Wear approved safety goggles.

### OTHER PROTECTION

General workwear only

### 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear Fluorescent. Liquid		
COLOUR	Green yellow		
ODOUR	Lemon		
SOLUBILITY	Soluble in water		
RELATIVE DENSITY	1.037 - 1.047 @ 20 °c	pH-VALUE, CONC. SOLUTION	8.5

### 10 STABILITY AND REACTIVITY

#### STABILITY

Stable under normal temperature conditions.

#### CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

#### HAZARDOUS DECOMPOSITION PRODUCTS

Not known.

### 11 TOXICOLOGICAL INFORMATION

#### INGESTION

Liquid irritates mucous membranes and may cause abdominal pain if swallowed. Diarrhoea. Nausea, vomiting.

#### SKIN CONTACT

Prolonged contact may cause dryness of the skin.

#### EYE CONTACT

Irritation is likely.

### 12 ECOLOGICAL INFORMATION

#### ECOTOXICITY

Not regarded as dangerous for the environment.

### 13 DISPOSAL CONSIDERATIONS

#### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

### 14 TRANSPORT INFORMATION

REVISION DATE: January 2003

## 106012 : FRAGRANCED MULTIPURPOSE CLEANER

RAIL TRANSPORT NOTES Not Classified.  
SEA TRANSPORT NOTES Not Classified.  
AIR TRANSPORT NOTES Not Classified.

### 15 REGULATORY INFORMATION

#### RISK PHRASES

NC Not classified.

#### STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

#### APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

#### GUIDANCE NOTES

Occupational Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

### 16 OTHER INFORMATION

#### GENERAL INFORMATION

The following risk phrases relate to the raw materials in the product and not the product itself:-

REVISION DATE January 2003

REV. NO./REPL. SDS GENERATED 4

#### RISK PHRASES IN FULL

R10 Flammable.  
R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
R36/37/38 Irritating to eyes, respiratory system and skin.  
R36/38 Irritating to eyes and skin.  
R41 Risk of serious damage to eyes.  
R43 May cause sensitisation by skin contact.  
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65 Harmful: may cause lung damage if swallowed.